

Table C2 Health indicators for 10 ZIP codes

Health indicators	ZIP 98102				ZIP 98105				Small Area (Census Tracts: 4100, 4200)			
	count ¹	Estimate ²	Lower CI	Upper CI	count ¹	Estimate ²	Lower CI	Upper CI	count ¹	Estimate ²	Lower CI	Upper CI
Behavioral Risk Factor Surveillance System, BRFSS (Adults, 18+)												
Adults overweight or obese, Percent (2007-2011)	175	48	36	60	272	38	28	50	Not available			
Adults (18-64 yrs.) with no health insurance, Percent (2007-2011)	126	6	2	17	202	10	4	22	Not available			
Adults with Doctor diagnosed diabetes, Percent (2007-2011)	178	2	1	5	279	2	1	3	Not available			
Adults with no leisure time physical activity past month, Percent (2007-2011)	178	14	7	25	278	9	5	16	Not available			
Adult current cigarette smokers, Percent (2007-2011)	178	16	9	27	279	4	2	11	Not available			
Adults with hypertension, Percent (2003-2011, odd years)	227	16	12	22	317	11	8	17	Not available			
Life Expectancy*												
Life expectancy at birth, Years (2006-2010, except as noted)	332	83.6	82.5	84.6	511	86.6	85.7	87.5	350*	86.4	85.5	87.3
Hospitalization Rates per 100,000 (Age-adjusted to year 2000 US Population)												
Assault hospitalizations rate (2006-2010)	25	20.4	12.4	42.3	31	18.4	11.9	28.0	Not available			
Childhood (0-17 yrs.) asthma hospitalization rate (2006-2010)	10	182	87.4	333.0	60	273.1	208.6	351.4	Not available			
Death Rates per 100,000 (Age-adjusted to year 2000 US Population)												
Heart disease deaths rate (2006-2010)	59	110.7	82.8	150.5	128	103.6	86.1	124.1	77	89.6	70.6	113.0
Stroke deaths rate (2006-2010)	20	37.0	21.8	65.5	20	15.4	9.3	24.7	16	18.9	10.7	31.6
Lung cancer (w trachea & bronchus) deaths rate (2006-2010)	15	23.4	12.5	48.1	33	29.2	19.9	41.7	18	23.8	14.0	38.3
Drug-induced deaths, rate (2006-2010)	16	16.0	9.1	37.4	10	7.5	3.5	14.8	3	3.5	0.7	11.6
Alcohol-induced deaths, rate (2006-2010)	9	12.6	5.3	35.3	2	1.5	0.2	6.8	1	1.2	0.0	8.3

Notes:

CI = 95% Confidence Interval

*Life expectancy for areas defined by census tracts are for 2005-2009

¹Count is total number of survey respondents for health behaviors ; total number of deaths for life expectancy at birth; and total number of

²Rates based on fewer than 20 events are likely to be unstable and imprecise; rates based on fewer than 5 events are suppressed.

Data Sources:

Washington State Department of Health, Center for Health Statistics, Behavioral Risk Factor Surveillance System supported in part by Cent Cooperative Agreement.

Death Certificate Data: Washington State Department of Health, Center for Health Statistics.

Hospitalization Discharge Data: Washington State Department of Health, Office of Hospital and Patient Data Systems.

1990-2000 Population Estimates: Population Estimates for Public Health Assessment, Washington State Department of Health, Vista Partnership, and Krupski Consulting. January 2009. 2001-2009 estimates: Provisional, D. Solet, 5/2012.

Produced by: Public Health - Seattle & King County; Assessment, Policy Development & Evaluation, 07/2012

Table C2 Health indicators for 10 ZIP code

<i>Health indicators</i>	ZIP 98106			
	count ¹	Estimate ²	Lower CI	Upper CI
<i>Behavioral Risk Factor Surveillance System, BRFSS (Adults, 18+)</i>				
Adults overweight or obese, Percent (2007-2011)	270	62	52	71
Adults (18-64 yrs.) with no health insurance, Percent (2007-2011)	234	17	9	29
Adults with Doctor diagnosed diabetes, Percent (2007-2011)	282	6	3	11
Adults with no leisure time physical activity past month, Percent (2007-2011)	282	15	10	21
Adult current cigarette smokers, Percent (2007-2011)	279	11	7	17
Adults with hypertension, Percent (2003-2011, odd years)	277	22	16	30
<i>Life Expectancy*</i>				
Life expectancy at birth, Years (2006-2010, except as noted)	596	78.7	77.7	79.7
<i>Hospitalization Rates per 100,000 (Age-adjusted to year 2000 US Population)</i>				
Assault hospitalizations rate (2006-2010)	80	67.4	53.4	85.3
Childhood (0-17 yrs.) asthma hospitalization rate (2006-2010)	71	261.0	204.0	329.1
<i>Death Rates per 100,000 (Age-adjusted to year 2000 US Population)</i>				
Heart disease deaths rate (2006-2010)	117	158.5	130.0	191.8
Stroke deaths rate (2006-2010)	34	48.8	33.4	69.2
Lung cancer (w trachea & bronchus) deaths rate (2006-2010)	33	42	28.3	60.4
Drug-induced deaths, rate (2006-2010)	25	20.8	13.3	32.4
Alcohol-induced deaths, rate (2006-2010)	18	15.8	9.3	26.6

of events for deaths and hospitalizations

Table C2 Health indicators for 10 ZIP code

<i>Health indicators</i>	ZIP 98107				ZIP 98108				ZIP 98122			
	count ¹	Estimate ²	Lower CI	Upper CI	count ¹	Estimate ²	Lower CI	Upper CI	count ¹	Estimate ²	Lower CI	Upper CI
<i>Behavioral Risk Factor Surveillance System, BRFSS (Adults, 18+)</i>												
Adults overweight or obese, Percent (2007-2011)	207	49	40	58	185	55	45	66	296	55	46	64
Adults (18-64 yrs.) with no health insurance, Percent (2007-2011)	156	7	3	16	152	14	8	22	254	18	10	31
Adults with Doctor diagnosed diabetes, Percent (2007-2011)	215	6	4	10	203	6	3	10	306	5	3	10
Adults with no leisure time physical activity past month, Percent (2007-2011)	215	11	7	17	203	30	22	40	306	19	12	31
Adult current cigarette smokers, Percent (2007-2011)	215	10	6	16	203	10	6	15	304	11	7	17
Adults with hypertension, Percent (2003-2011, odd years)	239	25	19	33	214	23	16	32	310	20	14	29
<i>Life Expectancy*</i>												
Life expectancy at birth, Years (2006-2010, except as noted)	608	81.1	80.0	82.2	735	80.8	79.9	81.7	996	76.6	75.7	77.4
<i>Hospitalization Rates per 100,000 (Age-adjusted to year 2000 US Population)</i>												
Assault hospitalizations rate (2006-2010)	26	24.3	15.4	38.9	75	65.4	51.4	82.2	133	82.7	68.3	100.5
Childhood (0-17 yrs.) asthma hospitalization rate (2006-2010)	23	182.2	115.6	273.3	78	299.1	236.6	373.2	44	245.9	178.9	330.3
<i>Death Rates per 100,000 (Age-adjusted to year 2000 US Population)</i>												
Heart disease deaths rate (2006-2010)	140	144.3	120.7	172.8	140	123.3	103.5	145.7	201	188.3	162.7	217.6
Stroke deaths rate (2006-2010)	36	38.0	26.3	55.2	55	48.7	36.6	63.6	56	52.4	39.4	69.3
Lung cancer (w trachea & bronchus) deaths rate (2006-2010)	42	50.5	36.1	70.4	49	41.4	30.6	55.2	50	51.6	38.0	69.1
Drug-induced deaths, rate (2006-2010)	15	14.2	7.8	26.4	11	9.5	4.7	17.4	43	30	21.5	42.2
Alcohol-induced deaths, rate (2006-2010)	14	13.6	7.3	25.8	10	8.6	4.1	16.2	13	9.5	4.9	18.3

Notes:

CI = 95% Confidence Interval

*Life expectancy for areas defined by census tracts are for 2005-2009

¹Count is total number of survey respondents for health behaviors ; total number of deaths for life expectancy at birth; and total number of

²Rates based on fewer than 20 events are likely to be unstable and imprecise; rates based on fewer than 5 events are suppressed.

Data Sources:

Washington State Department of Health, Center for Health Statistics, Behavioral Risk Factor Surveillance System supported in part by Center for Health Statistics Cooperative Agreement.

Death Certificate Data: Washington State Department of Health, Center for Health Statistics.

Hospitalization Discharge Data: Washington State Department of Health, Office of Hospital and Patient Data Systems.

1990-2000 Population Estimates: Population Estimates for Public Health Assessment, Washington State Department of Health, Vista Partnership, and Krupski Consulting. January 2009. 2001-2009 estimates: Provisional, D. Solet, 5/2012.

Produced by: Public Health - Seattle & King County; Assessment, Policy Development & Evaluation, 07/2012

Table C2 Health indicators for 10 ZIP code

<i>Health indicators</i>	ZIP 98144			
	count ¹	Estimate ²	Lower CI	Upper CI
<i>Behavioral Risk Factor Surveillance System, BRFSS (Adults, 18+)</i>				
Adults overweight or obese, Percent (2007-2011)	254	50	40	59
Adults (18-64 yrs.) with no health insurance, Percent (2007-2011)	207	12	6	22.6
Adults with Doctor diagnosed diabetes, Percent (2007-2011)	262	4	2	8
Adults with no leisure time physical activity past month, Percent (2007-2011)	262	13	8	19
Adult current cigarette smokers, Percent (2007-2011)	262	9	5	15
Adults with hypertension, Percent (2003-2011, odd years)	244	26	19	34
<i>Life Expectancy*</i>				
Life expectancy at birth, Years (2006-2010, except as noted)	1051	80.5	79.7	81.3
<i>Hospitalization Rates per 100,000 (Age-adjusted to year 2000 US Population)</i>				
Assault hospitalizations rate (2006-2010)	107	79.9	65.2	97.4
Childhood (0-17 yrs.) asthma hospitalization rate (2006-2010)	71	279.9	218.8	353.0
<i>Death Rates per 100,000 (Age-adjusted to year 2000 US Population)</i>				
Heart disease deaths rate (2006-2010)	199	124.5	107.6	143.9
Stroke deaths rate (2006-2010)	63	40.7	31.1	52.8
Lung cancer (w trachea & bronchus) deaths rate (2006-2010)	60	40.8	31.0	53.1
Drug-induced deaths, rate (2006-2010)	18	12.6	7.5	20.7
Alcohol-induced deaths, rate (2006-2010)	8	5.7	2.5	12.0

¹ events for deaths and hospitalizations

² rates for Disease Control and Prevention

Table C2 Health indicators for 10 ZIP code

<i>Health indicators</i>	ZIP 98199				ZIP 98178				ZIP 98116			
	count ¹	Estimate ²	Lower CI	Upper CI	count ¹	Estimate ²	Lower CI	Upper CI	count ¹	Estimate ²	Lower CI	Upper CI
<i>Behavioral Risk Factor Surveillance System, BRFSS (Adults, 18+)</i>												
Adults overweight or obese, Percent (2007-2011)	243	50	42	58	281	59	51	68	276	60	53	67
Adults (18-64 yrs.) with no health insurance, Percent (2007-2011)	180	2	1	6	203	16	10	26	199	18	12	27
Adults with Doctor diagnosed diabetes, Percent (2007-2011)	250	4	2	7	296	11	7	16	286	6	4	10
Adults with no leisure time physical activity past month, Percent (2007-2011)	249	9	5	16	295	21	15	29	285	14	10	19
Adult current cigarette smokers, Percent (2007-2011)	248	4	2	7	293	15	10	21	284	10	6	17
Adults with hypertension, Percent (2003-2011, odd years)	258	24	19	31	283	36	29	44	263	24	19	31
<i>Life Expectancy*</i>												
Life expectancy at birth, Years (2006-2010, except as noted)	619	84.7	83.9	85.4	890	79.1	78.2	80.0	882	82.0	81.2	82.8
<i>Hospitalization Rates per 100,000 (Age-adjusted to year 2000 US Population)</i>												
Assault hospitalizations rate (2006-2010)	8	7.4	3.2	16.2	68	65.0	50.36	82.65	13	13.2	6.6	24.7
Childhood (0-17 yrs.) asthma hospitalization rate (2006-2010)	23	128.9	81.8	193.4	40	164.7	117.8	224.4	28	161.4	107.4	233.4
<i>Death Rates per 100,000 (Age-adjusted to year 2000 US Population)</i>												
Heart disease deaths rate (2006-2010)	152	120.8	102.2	143.0	190	153.9	132.6	178.1	186	126.8	108.7	148.4
Stroke deaths rate (2006-2010)	30	24.5	16.5	36.5	47	36.7	26.8	49.3	52	35.8	26.5	49.0
Lung cancer (w trachea & bronchus) deaths rate (2006-2010)	43	37.2	26.8	51.4	75	62.5	49.0	78.9	34	26.6	18.3	38.9
Drug-induced deaths, rate (2006-2010)	12	11.1	5.7	20.9	21	18.2	11.2	28.3	16	12.8	7.0	23.0
Alcohol-induced deaths, rate (2006-2010)	13	9.9	5.2	18.9	12	10.7	5.5	19.1	16	11.7	6.6	21.1

Notes:

CI = 95% Confidence Interval

*Life expectancy for areas defined by census tracts are for 2005-2009

¹Count is total number of survey respondents for health behaviors ; total number of deaths for life expectancy at birth; and total number of

²Rates based on fewer than 20 events are likely to be unstable and imprecise; rates based on fewer than 5 events are suppressed.

Data Sources:

Washington State Department of Health, Center for Health Statistics, Behavioral Risk Factor Surveillance System supported in part by Center for Health Statistics Cooperative Agreement.

Death Certificate Data: Washington State Department of Health, Center for Health Statistics.
Hospitalization Discharge Data: Washington State Department of Health, Office of Hospital and Patient Data Systems.
1990-2000 Population Estimates: Population Estimates for Public Health Assessment, Washington State Department of Health, Vista Partnership, and Krupski Consulting. January 2009. 2001-2009 estimates: Provisional, D. Solet, 5/2012.

Produced by: Public Health - Seattle & King County; Assessment, Policy Development & Evaluation, 07/2012

Table C2 Health indicators for 10 ZIP code

<i>Health indicators</i>	Census Tracts 11200 + 26400			
	count ¹	Estimate ²	Lower CI	Upper CI
<i>Behavioral Risk Factor Surveillance System, BRFSS (Adults, 18+)</i>				
Adults overweight or obese, Percent (2007-2011)			Not available	
Adults (18-64 yrs.) with no health insurance, Percent (2007-2011)			Not available	
Adults with Doctor diagnosed diabetes, Percent (2007-2011)			Not available	
Adults with no leisure time physical activity past month, Percent (2007-2011)			Not available	
Adult current cigarette smokers, Percent (2007-2011)			Not available	
Adults with hypertension, Percent (2003-2011, odd years)			Not available	
<i>Life Expectancy*</i>				
Life expectancy at birth, Years (2006-2010, except as noted)	343*	76.6	75.2	78.1
<i>Hospitalization Rates per 100,000 (Age-adjusted to year 2000 US Population)</i>				
Assault hospitalizations rate (2006-2010)			Not available	
Childhood (0-17 yrs.) asthma hospitalization rate (2006-2010)			Not available	
<i>Death Rates per 100,000 (Age-adjusted to year 2000 US Population)</i>				
Heart disease deaths rate (2006-2010)	65	168.4	129.1	216.7
Stroke deaths rate (2006-2010)	11	26.3	12.9	49.3
Lung cancer (w trachea & bronchus) deaths rate (2006-2010)	17	41.3	23.7	68.1
Drug-induced deaths, rate (2006-2010)	14	30.6	16.5	53.8
Alcohol-induced deaths, rate (2006-2010)	10	25.8	12.2	49.3

events for deaths and hospitalizations

Table C2 Health indicators for 10 ZIP code

<i>Health indicators</i>	ZIPs 98108 + 98106+ 98168				Seattle				King County			
	count ¹	Estimate ²	Lower CI	Upper CI	count ¹	Estimate ²	Lower CI	Upper CI	count ¹	Estimate ²	Lower CI	Upper CI
<i>Behavioral Risk Factor Surveillance System, BRFSS (Adults, 18+)</i>												
Adults overweight or obese, Percent (2007-2011)	820	63	57	68	5,873	48	46	50	18,569	56	55	57
Adults (18-64 yrs.) with no health insurance, Percent (2007-2011)	654	19	14	25	4,505	11	10	12	13,705	13	12	13
Adults with Doctor diagnosed diabetes, Percent (2007-2011)	872	9	7	12	6,096	4	4	5	19,094	6	6	6
Adults with no leisure time physical activity past month, Percent (2007-2011)	871	26	21	30	6,092	12	11	13	19,053	15	15	16
Adult current cigarette smokers, Percent (2007-2011)	867	14	11	18	6,062	10	9	11	18,983	11	11	12
Adults with hypertension, Percent (2003-2011, odd years)	915	25	21	29	6,199	21	19	22	19,260	23	22	24
<i>Life Expectancy*</i>												
Life expectancy at birth, Years (2006-2010, except as noted)	2319	79.8	79.3	80.3	19837	81.5	81.3	81.7	58376	81.5	81.4	81.6
<i>Hospitalization Rates per 100,000 (Age-adjusted to year 2000 US Population)</i>												
Assault hospitalizations rate (2006-2010)	246	59.7	52.4	67.8	1921	43.3	41.5	45.5	2853	29.0	28.0	30.1
Childhood (0-17 yrs.) asthma hospitalization rate (2006-2010)	232	241.9	211.8	275.1	928	215.9	202.3	230.3	2664	129.7	124.8	134.7
<i>Death Rates per 100,000 (Age-adjusted to year 2000 US Population)</i>												
Heart disease deaths rate (2006-2010)	443	135.1	122.6	148.6	4398	138.4	134.2	142.7	12706	137.8	135.4	140.3
Stroke deaths rate (2006-2010)	132	41.1	34.3	49.0	1130	36.0	33.9	38.2	3299	36.6	35.3	37.8
Lung cancer (w trachea & bronchus) deaths rate (2006-2010)	156	44.8	37.9	52.7	1086	38.1	35.8	40.5	3522	39.8	38.5	41.2
Drug-induced deaths, rate (2006-2010)	72	17.8	13.9	22.6	539	16.7	15.3	18.2	1284	12.6	11.9	13.3
Alcohol-induced deaths, rate (2006-2010)	56	14.1	10.6	18.5	298	9.6	8.5	10.8	851	8.5	7.9	9.1

Notes:

CI = 95% Confidence Interval

*Life expectancy for areas defined by census tracts are for 2005-2009

¹Count is total number of survey respondents for health behaviors ; total number of deaths for life expectancy at birth; and total number o

²Rates based on fewer than 20 events are likely to be unstable and imprecise; rates based on fewer than 5 events are suppressed.

Data Sources:

Washington State Department of Health, Center for Health Statistics, Behavioral Risk Factor Surveillance System supported in part by Centi
Cooperative Agreement.

Death Certificate Data: Washington State Department of Health, Center for Health Statistics.

Hospitalization Discharge Data: Washington State Department of Health, Office of Hospital and Patient Data Systems.

1990-2000 Population Estimates: Population Estimates for Public Health Assessment, Washington State Department of Health, Vista Partnership, and Krupski Consulting. January 2009. 2001-2009 estimates: Provisional, D. Solet, 5/2012.

Produced by: Public Health - Seattle & King County; Assessment, Policy Development & Evaluation, 07/2012

Table C2 Health indicators for 10 ZIP code

Health indicators

Behavioral Risk Factor Surveillance System, BRFSS (Adults, 18+)

Adults overweight or obese, Percent (2007-2011)

Adults (18-64 yrs.) with no health insurance, Percent (2007-2011)

Adults with Doctor diagnosed diabetes, Percent (2007-2011)

Adults with no leisure time physical activity past month, Percent (2007-2011)

Adult current cigarette smokers, Percent (2007-2011)

Adults with hypertension, Percent (2003-2011, odd years)

Life Expectancy*

Life expectancy at birth, Years (2006-2010, except as noted)

Hospitalization Rates per 100,000 (Age-adjusted to year 2000 US Population)

Assault hospitalizations rate (2006-2010)

Childhood (0-17 yrs.) asthma hospitalization rate (2006-2010)

Death Rates per 100,000 (Age-adjusted to year 2000 US Population)

Heart disease deaths rate (2006-2010)

Stroke deaths rate (2006-2010)

Lung cancer (w trachea & bronchus) deaths rate (2006-2010)

Drug-induced deaths, rate (2006-2010)

Alcohol-induced deaths, rate (2006-2010)

f events for deaths and hospitalizations

